


Patient Name _____

Date of colonoscopy ___/___/___ Time _____ Place _____



#1: First dosing regimen

- Begin your first dosing regimen the day prior to the exam.
- Follow your doctor's instructions about what you can and cannot eat or drink.
- Take three VISICOL™ Tablets with at least 8 ounces of any clear liquid (water, any clear carbonated beverage, any clear juice) every 15 minutes. The last dose will be only 2 tablets, for a total of 20 tablets.

Do not exceed 20 tablets.

- Reminder: remain close to toilet facilities.

Special Instructions _____

#2: Second dosing regimen

- Begin your second dosing regimen three to five hours before the exam.
- Follow your doctor's instructions about what you can and cannot eat or drink.
- Take three VISICOL™ Tablets with at least 8 ounces of any clear liquid (water, any clear carbonated beverage, any clear juice) every 15 minutes. The last dose will be only 2 tablets, for a total of 20 tablets.

Do not exceed 20 tablets.

- Reminder: remain close to toilet facilities.

Special Instructions _____

#3: Tablet check-off chart

For each of your two dosing regimens record the VISICOL™ Tablets you have taken using the two charts below. Begin by recording the Start Date and Start Time of Dose 1. After swallowing the last tablet for each dose, check-off the corresponding box for that dose. Be sure a clock is nearby or wear a watch.

First dosing regimen

Start Date _____	Time _____	Dosage	Check-Off
Dose 1	Start Time	3 tablets	<input type="checkbox"/>
Dose 2	+15 min	3 tablets	<input type="checkbox"/>
Dose 3	+30 min	3 tablets	<input type="checkbox"/>
Dose 4	+45 min	3 tablets	<input type="checkbox"/>
Dose 5	+1 hr	3 tablets	<input type="checkbox"/>
Dose 6	+1 hr + 15 min	3 tablets	<input type="checkbox"/>
Dose 7	+1 hr + 30 min	2 tablets	<input type="checkbox"/>

Total = 20 tablets

Second dosing regimen

Start Date _____	Time _____	Dosage	Check-Off
Dose 1	Start Time	3 tablets	<input type="checkbox"/>
Dose 2	+15 min	3 tablets	<input type="checkbox"/>
Dose 3	+30 min	3 tablets	<input type="checkbox"/>
Dose 4	+45 min	3 tablets	<input type="checkbox"/>
Dose 5	+1 hr	3 tablets	<input type="checkbox"/>
Dose 6	+1 hr + 15 min	3 tablets	<input type="checkbox"/>
Dose 7	+1 hr + 30 min	2 tablets	<input type="checkbox"/>

Total = 20 tablets

Note: Be sure to complete your prescribed dosing regimen as directed by your physician. Wait at least 15 minutes between each dose. Do not take VISICOL™ Tablets within seven days of a previous administration. It is recommended that you NOT take additional laxatives or any product containing sodium phosphate while taking VISICOL™ Tablets. For further information, consult your physician.